



## Bel-Air Silent Green Foam

3MM Silent IPXE Foam Underlayment



Bel-Air Green Foam Underlayment is a basic underlayment manufactured by using a close-cell polyethylene microcellular foam. The IXPE (Irradiated Cross-linked Polyethylene) foam is a polymer material with great thermal insulation, sound absorption and vapor resistance properties.

### ROLL DIMENSIONS:

**Ft.2 Per Roll:** 100

**Thickness:** 3.0mm.

**Density:** 33kg/m<sup>3</sup>

**Width:** 44" (3.75Ft.)

**Length:** 327" (27.2 Ft.)

**Weight:** 2.2 lbs.

**Rolls/Pallet:** 50 Rolls

**Pallet Dimensions:**

**Length:** 48" **Width:** 42"

**Height:** 72"

### FEATURES:

**100% Vapor Barrier**

**100% Electrical Insulator**

**100% Mold & Mildew Resistant**

**100% Environment friendly**

### Sound & Impact Properties

Impact Insulation Class (IIC): 71dB | Sound Transmission Class (STC): 73dB

### CLASSIFICATION STANDARD

**STC Classification:** ASTM E90-04, 54dB

**IIC Classification:** ASTM E492-04, 51dB

**Thermal Conductivity:** 0.35 BTU/Hr.Sq.In

**Fire Resistance:** UL 94 HFI, F.A.R. 25.83

**Water Absorption:** 0.005 Lbs Per Cubic Feet



# Bel-Air Silent Green Foam

3MM Silent IPXE Foam Underlayment



Bel-Air Green Foam Underlayment is a basic underlayment manufactured by using a close-cell polyethylene microcellular foam. The IXPE (Irradiated Cross-linked Polyethylene) foam is a polymer material with great thermal insulation, sound absorption and vapor resistance properties.



Impact  
Insulation  
Class (IIC): **71dB**



Sound  
Transmission Class  
(STC): **73dB**



100%  
Environment  
friendly



100% Mold  
& Mildew  
Resistant



100%  
Electrical  
Insulator



100%  
Vapor  
Barrier